The following checklist is a guide. It may be used in its entirety or be modified to the specific user's needs by adding or subtracting items from the checklist. For questions concerning any item, contact the Office of Environmental Health and Safety.

## (16) FALL PROTECTION

Name:	Date :		
Location of Inspection:			
1. Is each employee who might be exposed to fall hazards trained by a competent person qualified in the following areas, in the safe use of accessways and fall protection systems and the recognition of hazards related to their use?	Yes 🗆 No 🗆	Comments:	
2. Are the manufacturer's recommendations followed in the fitting, adjustment, use, inspection, testing, and care of personal fall protection equipment?	Yes 🗆 No 🗆	Comments:	
3. Is personal fall protection equipment inspected before use each day to determine that it is in safe working condition?	Yes 🗆 No 🗆	Comments:	
4. Are body belts prohibited from use (except as positioning devices)?	Yes 🗆 No 🗆	Comments:	
5. Are ropes and straps (webbing) used in lanyards, lifelines, and strength components of body belts and body harnesses made from synthetic fibers?	Yes 🗆 No 🗆	Comments:	
6. When vertical lifelines are used, is each employee attached to a separate lifeline?	Yes 🗆 No 🗆	Comments:	

## **INSPECTION CHECKLISTS**

7. Are anchorages used for attachment of personal fall arrest equipment independent of any anchorage used to support or suspend platforms and are they capable of supporting at least 2,270 kg (5,000 lb) per employee attached?	Yes □ No □	Comments:
8. Are safety nets in place and tested before operations requiring safety net protection are undertaken?	Yes 🗆 No 🗆	Comments:
9. Prior to commencing any activity that requires work in elevated areas, have all provisions for access and fall protection been delineated in the hazard analysis and accepted by the designated authority?	Yes 🗆 No 🗆	Comments:
10. Is each person supported by a suspended scaffold protected by a Type I body belt or body harness system?	Yes 🗆 No 🗀	Comments:
11. Are workers provided fall protection whenever they are exposed to falls of 1.8 m (6 ft) or more?	Yes 🗆 No 🗀	Comments: